



U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

Cofc

**REQUEST FOR CERTIFICATE OF  
CORRECTION PURSUANT TO  
37 C.F.R. § 1.322**

Docket Number:  
**11150/38**

Conf. No.:  
**3627**

Application Number  
**09/936,412**

Filing Date  
**January 23, 2002**

Examiner  
**Kamini S. SHAH**

Art Unit  
**2863**

Patent Number  
**6,856,919**

Issue Date  
**February 15, 2005**

Invention Title  
**DEVICE WITH AT LEAST ONE LASER SENSOR  
AND METHOD OF OPERATING A LASER  
SENSOR**

Inventor(s)  
**Andreas BASTIAN et al.**

**Address to:**

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to : Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date:

Signature:

*September 20, 2005*  
*Chih Lin*

We have compared the above patent with the application as filed and have found an error in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistake set forth therein under authority of 35 U.S.C. §254. The exact column and line number where the error occurs in the patent is listed on the enclosed certificate.

The error that appears in this patent is a Patent Office error and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

Dated:

*September 20, 2005*

By:

*Richard L. Mayer*  
*Chih Lin*

Richard L. Mayer, Reg. No. 22,490

KENYON & KENYON  
One Broadway  
New York, New York 10004  
(212) 425-7200 (telephone)  
(212) 425-5288 (facsimile)

**Certificate  
SEP 29 2005  
of Correction**

*R. N.*  
*42,194*  
*(Chih Lin A.)*  
*Chih Lin*

SEP 29 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

**PATENT No. : 6,856,919**

**DATED : February 15, 2005**

**INVENTOR(S): Andreas BASTIAN et al.**

**It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:**

Column 4, line 42, change "sower" to --power --

**MAILING ADDRESS OF SENDER**

Kenyon & Kenyon  
One Broadway  
New York, NY 10004

**Patent No. 6,856,919 B1**

No. of add'l. copies

@ 30 ¢ per page

Ψ \_\_\_\_\_

FORM PTO 1050 (REV 3.82) **MODIFIED**

**SEP 29 2005**